

Final Report Form for New Small Production Wells for Community Water Systems March 2004*

PROJECT NAME:		
TOWN/CITY:	DATE:	
EPA ID #		

PURPOSE: This form, when complete, will provide the information required for small well siting final reports under Env-Ws 378, *Site Selection of Small Production Wells for Community Water Systems.* Once completed, this form can be submitted as the final report. You don't have to use this form. However, based on experience, the NH Department of Environmental Services (DES) has found that use of the form speeds up the siting process. If you prefer to produce an original report be sure to provide all the information required under the rule. The Department recommends this form be used as a checklist to help ensure your report is complete. Helpful information and reminders are provided throughout the form and are printed in *italics*. Copies of this form and other useful publications may be found at the following website: http://www.des.nh.gov/DWSPP/newcomm.htm.

INSTRUCTIONS:

A. Obtain copies of the following from your files or the Department:

- 1. Preliminary report for the project and all Departmental review and approval letters.
- 2. Pumping test data and water quality analysis results from the pumping test.
- 3. Well completion report and any field logs of borehole geology for the site.
- 4. Administrative Rule Env-Ws 378, Site Selection of Small Production Wells for Community Water Systems, April 1999
- 5. Administrative Rule Env-Ws 372, *Small System Design Criteria, June 1997*. (Small community water systems are subject to design criteria under Env-Ws 372. This document assists you in making sure the new well project will meet those criteria.)
- 6. The Applicant's Toolkit for Siting New Small Community Wells in New Hampshire, February 2004.
- 7. The pumping test guide, A Field Guide for Pumping Test Operators
- 7. Contact Johnna McKenna at (603) 271-7017 to request a current (less than 90 days old) GIS

Map and Inventory of contamination sources and water supplies for your site. She will need a location map of your site and this may be faxed to her attention at (603) 271-0656. If there

is an active contaminated site you must review the site file before submission of this form. To make a file review appointment contact DES staff at **271-2919** <u>after</u> you receive your map and inventory and determine which files you need to review. When you arrive at DES for your file review, sign in with the receptionist and tell her you are there to see the Waste Management Division file librarian.

- B. Review the well siting rules and guidance materials obtained above. You should use these materials to assess your water system design and site specific well siting needs.
- C. Complete this form by answering all questions from top to bottom, unless instructed to skip to another section and provide the appropriate attachments.
- D. It is very important to recognize that an incomplete form, like an incomplete final report, <u>will be returned</u> for completion before being reviewed by the Department. Reports are reviewed in the order they are received and return of your report will slow the approval process.
- E. Submit completed form to: New Community Well Sitings
 Water Supply Engineering Bureau
 Post Office Box 95
 Concord, NH 03302 -0095

For help with this form or other well siting concerns call Diana Morgan at (603) 271-2947.

^{*}Information contained in this form is current as of March 2004. Statutory or regulatory changes that may occur after March 2004 may cause part or all of the information to be invalid. If there are any questions concerning the status of the information please contact DES at (603) 271-2947.

1.0 GENERAL INFORMATION

This section asks you to identify the people and companies responsible for the well siting and water system and to describe the well site. This information will help ensure clear communication about the well siting.

1.1. Date of Department Preliminary Report Approval Letter:
1.2 Project Contact: Person completing this form.
Name:
Address:
Company:
Phone Number:
1.2a Project Owner : Person responsible for compliance with approval conditions issued by the Department.
Name:
Address:
Company:
Phone Number:
1.2b Is the person listed in 1.2a the current owner of the water system? YES NO
If YES , got to (1.3) below. If NO , identify the current water system owner;
Current Owner:
Address:
Phone:

1.3 As-Built Well Location & Description:

Describe the location of each well in ref example, Well #1 is 159 feet SW of the	Ference to the existing or proposed pumphouse. For pumphouse.
1.4 Build Out:	
What is the total number of service conr system at <u>build-out</u> ? How many exist no	nections, units and bedrooms proposed for this ow?
Service connections; Build-out:	Existing:
Units; Build-out:	Existing:
Bedrooms; Build-out:	Existing:
1.5 Source Capacity:	
Worksheet A, found in the guidance doc your calculations are complete and expl note, <u>source capacity does not equal des</u> siting is subject to Env-Ws 379, Site Sel-	ed for the system under Env-Ws 372.11? Please use ument and the preliminary report form, to be sure lain how those calculations were developed. Please sign flow. If the total is 57,600 gpd or more, the ection Of Large Production Wells for Community t for a copy of those Rules and related guidance
g	pd
1.6 Site Sketch	

.6 Site Sketch:

Provide a sketch showing the well location and everything existing and proposed, within 500 feet of the new well. Use a scale large enough to provide detail. (This map may also be used to supply information for sections 2.1, 3.5a, and 5.1a of this report. Include elevation contours, if available.)

2.0 SANITARY PROTECTIVE AREA

2.1 Sanitary Protective Area Radius:

What is the radius of the sanitary protective area (SPA) for each well? Complete Table 2-1 for each well, using the chart below to determine radii. The final size of the sanitary protective area will depend on the approved permitted production volume(s) of the well(s). The SPA for each well is a circle, centered on the well, with a specific radius. Match the volume for each well to the sanitary protective area radius in the following chart. If more than one well is in one protective area, combine the volumes of those wells and identify a new radius for each new well. Please note, each well must have a separate sanitary protective area.

SANITARY PROTECTIVE AREA RADII

Permitted Production Volume (gal)	<u>Radius</u>
less than 14,400	150 feet
14,401 to 28,800	175 feet
28,801 to 57,600	200 feet
57,601 to 86,400	250 feet
86,401 to 115,200	300 feet
115,201 to 144,000	350 feet
greater than 144,000	400 feet

Table 2-1, SANITARY PROTECTIVE AREA RADII

Well Name/Number	Permitted Production Volume	Radius

[•] Show the sanitary protective area for each well on the site sketch in section 1.6.

2.2 Land Use:

Is all the land inside the sanitary protective area maintained in a natural,	undisturbed state
and will it stay that way after build-out?	
YES NO	

If YES, describe the make up of the land within the sanitary protective area. Such as

	oods, meadow, and lawn.
of	NO, was a waiver obtained for all land uses not required for operation and maintenance the well and water system? ES NO
	NO, see Worksheet A for directions to apply for a waiver. The well site cannot be oproved unless a waiver is obtained for any non-water supply activity.
.3 L	egal Control of the Sanitary Protective Area:
2	.3a Does the water system currently own all the land in the sanitary protective area(s)? YESNO
	If YES , identify the grantee, registered deed number(s), county name and date(s) o registration.
	Grantee:
	Deed No(s):County:
	Date(s):
	If NO , has the water system gained control of non-owned land by getting a land us easement? YES NO
	If YES , attach a copy of the easement language stamped with the date of register.
	If NO , either: If the water system is still in process of obtaining an easement, attach a copy of the easement language and provide a schedule for completion
	Schedule:
	Or,

If the water system will, at a later date, control all the area by any means other than a land use easement, describe when and how. *Provide all pertinent documents, such*

	as proposed condominium covenants. When and How:
2.3b	Will the water system be transferred at a later date to another entity such as an association or private operator? YES NO
	If YES , when and how will control of the sanitary protective area be transferred? Please note that control of the well's Sanitary Protective Area <u>must stay</u> with the system. Attach a copy of the proposed easement language.
	When and How?
gallons per Wells for C 3.1 Non-St Was a test y YES	e, systems using multiple wells to meet a required source capacity which is 57,600 and ay or more are regulated under Env-Ws 379, Site Selection Of Large Production Community Water Systems. Contact the Department for a copy of those Rules. Eandard Testing: Other than the Standard Test as defined in Env-Ws 378 used? NO The please describe the method used.
3.2 Test Pe	
Si re co	Who was responsible for setting up, directing the test and making decisions during it? such as making sure that the test was conducted as approved, including preliminary export approval conditions, that the water was discharged in the approved location, a constant pumping rate was maintained, measurements were made correctly and on exhedule, and the test was not ended before stabilization was achieved.
1	Name:

	tion 3.2a? ne:	
Pho	ne:	
.3 Operatio	n of Wells	
3.3a. W	Vell Operation:	
3.	3a.1 How were all the system's w and existing wells. Comple	wells operated during the testing? <i>Include new</i> tete Table 3-1.
	Table 3-1, OPERATION	OF SYSTEM WELLS
Well	Pumping Rate (gpm)	Operation Schedule
3.	3a.2 How were constant pumping pumping rates after the first	g rates maintained? What was the range of hour?
_		
_		

If **NO**, go to (3.4) below.

If **YES**, identify who was responsible for ensuring that the well and lines were flushed to guarantee acceptable water quality and when and how this was done.

 Attach a copy of the laboratory results, showing sampling and analysis dates.

Who?		
	Name	Company
How?		
		Date:

- **3.4** How were pumping rates measured? *Complete Table 3-2 for each well.*
 - Attach a list of pumping rate measurements, including times the measurements were taken.

Table 3-2, PUMPING RATE MEASUREMENTS

Well Name/ Number	Equipment	Method	Schedule

3.5 Discharge Location:

3.5a. Describe the discharge locations used during the pumping test in the following table. Show these locations on the site sketch provided for Section 1.6.

TABLE 3-3, FINAL DISCHARGE LOCATIONS

	TABLE 5-5, FINAL DISCHARGE LUCATIONS)
Well	Discharge Location	Distance from Wel
3.5b.	Was there any ponding at the discharge point or anywhere along YES NO	g the discharge line(s)
	If YES , describe the location, depth and area of ponding. How to the pumping well(s)? Did the ponded water reach any nature of soil is in the ponded area?	<u> </u>
	· Level Measurement:	
	were water levels measured in each well? List type of equipment Complete Table 3-4 for each well.	t used and measureme
	Table 3-4, WATER LEVEL MEASUREMENT	
Well	Equipment/Method	
3.7 Pumn	ing Test Results:	
-		
3.7a \	What were the start and end dates of the pumping test? How long	g was the test, in hour
	Start Date:	

End Date:		Hours:	
3.7b Attach a copy of the original pumping test log including all measurement times, we conditions, pumping rates, and drawdowns for each well. If used, include a semi-log plot of time <u>vs</u> drawdown for each well. A copy of the well completion report and/of well profile must also be submitted.			
3.8 Well Casing & Pu	mp Information:		
<u> </u>	s and casing sizes for each well.	ch well? At what levels	are the pumps set in each
		IG & PUMP INFORM	ATION
Well Name/Number	Pump Depth/Feet	Well Depth/Feet	Casing Length & Diameter
3.9 Stabilization:			
Was the pumping test:	stopped before stabilizat	tion was reached? YES_	NO
			
n YES, document	why this decision was m	ade.	
3.10 Recovery Period	(if applicable):		
How long was the	recovery period for eac	h well and what was the	percent of recovery?
Hours:			
	rawdown:		

3.11 Impacts to/from the New Well:

3.11a	Which of the following impacts from/to the new well were assessed and how? Check all that apply.
	Saltwater intrusionFluctuations in water levels in nearby surface watersGroundwater contamination plumesFluctuations of water levels in nearby wells.
	How?
3.111	Describe the potential and how it will be managed. <i>Attach a detailed contamination management plan</i> .
4.0 LABORAT	TORY ANALYSIS RESULTS
4.1 Sample	e Collection and Delivery:
Who w laborat	vas responsible for collecting water quality samples and delivering them to the ory?
Name:	

4.2 Analyses and Laboratory:

4.2a. Sample Collection and Analysis: Which wells were tested, when were the samples collected, how were they transported, and what parameters were analyzed? *Complete Table 4-1 for each well.*

Table 4-1, WATER QUALITY MONITORING

Well	When Sample Was Collected	How Sample Was Transported

- **4.2b**. What laboratory analyzed the samples and for which parameters? *Complete Table 4-2 below for each laboratory. The laboratory must have current certification in New Hampshire for doing the analyses using drinking water methods.*
- Attach a copy of complete laboratory reports for all wells.

Table 4-2, LABORATORY

Well	Laboratory	NH Certification Number	Analysis This Lab Performed

4.20	Did any of the tested parameters exceed Safe Drinking Water Act primary or secondary standards? YES NO
	If YES , how does the water system propose to manage water quality?

5.0 SOURCE WATER PROTECTION

Refer to Env-Ws 378 and the siting guide, Applicant's Toolkit for Siting New Small Community Wells, *for more information and requirements*.

5.1 Refinement of the Wellhead Protection Area (WHPA) for Bedrock Wells:

(Please note, small overburden wells require an analytical delineation method based on information collected during the pumping test. Contact Department well siting staff for guidance, if needed.)

Did you use the default WHPA radius? YES NO	
---	--

If **YES**, identify the radii of the WHPA(s) using Table 5-1 below. Complete Table 5-2 for each well. The size of the WHPA depends on the permitted production volume(s) of the well(s). If more than one well is in the Sanitary Protective Area of one well, combine the volumes to identify the WHPA radius for each new well.

• Attach a map of the refined WHPA.

Table 5-1, WELLHEAD PROTECTION AREA RADII

Permitted Production Volume (Gal)	Radius
Zero to 7,200	1,300 feet
7,201 to 14,400	1.500 feet
14,401 to 28,800	2,050 feet
28,801 to 43,200	2,850 feet
43,201 to 57,599	3,600 feet
57,600 and over	4,000 feet

Table 5-2, WELLHEAD PROTECTION AREAS

Well Name/Number	Permitted Production Volume	WHPA Radius

If **NO**, provide a detailed technical description of the delineation method used. Include **All** of the following:

- **5.1a**. Map showing delineated WHPA and description of the delineation method.
- **5.1b.** Description of additional data collection activities, including any performed as part of the pumping test program.

5.1c. Description and justification of how the data was analyzed and reported.

5.2 GIS Map & Inventory:

5.3

Provide an up-to-date GIS Map and Inventory and file review report. If the ones submitted in the preliminary report are more than 90 days old, obtain an updated GIS map from the Department and conduct another windshield survey.

5.2a	Who perfo	ormed the windshield survey of the entire WHPA? When?
1	Name:	Date:
]	Phone:	
		any <u>existing</u> contamination sources within the Wellhead Protection Area? _NO
		ocument how the water system plans to manage those sources to minimize tion of the wellhead.
The programmer of the second o	rogram is and send service materials ment for exags is due al, and mues.	mandatory and includes updating the contamination source inventory every ding groundwater protection educational materials to all municipalities, in, doing business in or otherwise occupying the wellhead protection area. should be submitted on the water system's letterhead. See the Guidance camples of the educational materials. The first round of educational within three (3) months of new system startup, or at the next regular waiver ast include Best Management Practices Rules for all potential contamination ponsible for distributing these materials?
Addre	ess:	
Phone	:	

• Provide a copy of the Wellhead Protection Program materials on water system letterhead.

6.0 APPROVAL TO CONNECT THE WELL

Please note that approval to connect the well must be obtained under Env-ES 372, Design Standards for Small Public Drinking Water Systems. See the attached Connection Requirements sheet if this well is for an existing system. Otherwise, contact Water Supply Engineering Bureau (WSEB) staff at 271-2949 for further information.

Who will be submitting distribution and connection design plans to WSEB staff?		
Name:	Date of Submittal:	
Company:		

6.1 SAMPLING WAIVERS

Implementation of a Wellhead Protection Program may qualify the applicant for a waiver from certain sampling requirements. If a sampling waiver is granted, it is estimated that the water system would **save more than \$11,000** in sampling costs over a nine-year period. The materials submitted with this form for the Wellhead Protection Program will be forwarded to David Reid of the Drinking Water Source Protection Program who will be contacting the water system shortly after approval is granted. He will assist the water system in applying for a waiver.

Before submitting, thoroughly check this form to be sure all questions are answered, all information is provided and all necessary attachments are included. Incomplete submittals will be returned before being reviewed by the Department.

Preparer's Signature:		
Name	Title	Company
Date:		

As a reminder, have you enclosed the following?

- 1. As-built site sketch. (Section 1.6)
- 2. Copy of easement language and date of register. (Section 2.3)
- 3. Pumping test log(s) including measurement times, pumping rates, water levels, weather, semi-log plot(s) of time <u>vs</u> drawdown, well completion reports and well profiles. (Section 3.0)
- 4. Lab results for system flushing. (Section 3.3b)
- 5. Site sketch of the discharge location. (Section 3.5)
- 6. Laboratory results. (Section 4.0)
- 7. WHPA map. (Section 5.1)
- 8. All maps, data, and analysis required for an alternative WHPA delineation method, if one was used. (Section 5.1)
- 9. Updated GIS Map and Inventory. (Section 5.2)
- 10. Copy of educational materials on water system letterhead for Wellhead Protection Program. (Section 5.3)
- 11. Any other pertinent materials.

Worksheet A: Waiver Application

Project Name:	Town/City:
Date:	
Which section of	f the rule are you requesting be waived? Env-Ws 378 Specifically, the requirement that:
Explain what, sp	pecifically, needs to be waived at this well site. Provide diagrams where helpful
	ardship would be caused if the rule were adhered to.
Explain the alter	rnative solution in detail. Provide diagrams where helpful.
Explain how the	e alternative is consistent with the intent of the rules and would have a just result.
Explain how the	e alternative would adequately protect human health and the environment.

Connection Requirements Under Env-Ws 372

All wells at small community systems must meet requirements of the Department of Environmental Services (Department) <u>before</u> being put into service for use by the public. A small community system, with an unapproved source on-line, is subject to a fine. Env-C 602.08(c) provides for a fine of \$1,000 per well that is connected, activated, or re-activated at a small community water system without Department approval.

Before using any water supply well or activating/re-activating any existing well, the following requirements* must be met.

- Well Siting Approval: All wells must meet well siting criteria and obtain approval under Env-Ws 378. Contact Diana Morgan at 271-2947 or dmorgan@des.state.nh.us with any siting concerns.
- **Design Approval:** If connection requires installation of more than 500 feet of waterline, treatment facilities, or any other appurtenances; then plans and specifications must be approved by the Department before the start of any construction. Contact Jim Gill at 271-2949 or igill@des.state.nh.us with submittal questions.
- Water Meters: Each source must have its own water meter. It must be installed in the line between the source and the first storage tank.
- **Sampling Taps:** Each well must have its own sampling tap. Each tap shall be placed in the line between the source and the first storage tank. It shall be at least 12 inches above the floor or finished grade.
- **Department Inspection:** Source connections requiring design approval as described above and those where new treatment will be applied shall also require an inspection by Department staff. The inspection shall occur after construction and **before** the source is used to provide water to the system.
- **Disinfection:** Wells and all waterlines, storage tanks, etc. must be flushed, disinfected with chlorine, reflushed, and sampled for acceptable bacteria quality **before** being used to provide water to the system.
- Sampling Schedule Update: Each well must be sampled according to a revised schedule provided by the Department. Contact Jeanne Lawson at 271-6703 or jlawson@des.state.nh.us with any questions about schedules.
- **Blend Approval:** Multiple sources may be sampled as a single, blended sample, <u>only if</u> all the system's active sources are wired to operate either simultaneously or to automatically alternate between pumping cycles. New blends must be approved by DES. Contact Engineering Field staff at 271-2513 to obtain blend approval.